

Modeling the Asymmetry of Stock Movements

Using Price Ranges

Ray Y. Chou*

Institute of Economics, Academia Sinica

rchou@econ.sinica.edu.tw

This version: December 24, 2001

* Prepared for presentation at the **2002 NTU International Conference of Finance on Financial Crisis and Financial Distress**. Contact address: Institute of Economics, Academia Sinica, #128, Sec 2, Yen-Chiu-Yuan Road, Nankang, Taipei, Taiwan. Telephone: 886-2-27822791 ext-321, fax: 27853946, email: rchou@econ.sinica.edu.tw.

Abstract:

I extend the Conditional Autoregressive Range (CARR) model of Chou (2001b) to use an Asymmetric CARR (ACARR) model to quantify the evolution dynamics of the downside risk of the financial markets. It is shown in Chou (2001a,b) that the range can be used as a measure of volatility and the CARR model performs very satisfactory in forecasting volatilities of S&P500 using daily and weekly observations. In this paper I allow separate dynamic structures for the upward and downward ranges of asset prices to allow for asymmetric behaviors in the financial market. The types of asymmetry include the trending behavior, the skewness persistence and the interactions of the first two conditional moments via leverage effects, risk premiums, and other types of volatility feedbacks. The return of the open to the max of the period is used as a measure of the upward range and the downward range is defined likewise. I propose a Quasi Maximum Likelihood Estimation method for the model parameters. Empirical examples using S&P500 daily and weekly frequencies provide consistent evidences supporting the asymmetry in the US stock market over the period 1962/01/02-2000/08/25. The upward range and the downward range deviate from each other on the leverage effect, the weekday pattern, and the dynamic pattern. The asymmetric model also provides sharper volatility forecasts comparing with the symmetric model.

Keywords: CARR, asymmetric CARR, GARCH, volatility modeling, leverage effect, value-at-risk, downside risk modeling, market crashes

1. Introduction

The modeling of volatilities of speculative asset prices is of central concern in the recent literature of financial economics and econometrics. As a measure of risk, volatility modeling is important to researchers trying to understand the nature of the dynamics of volatilities. It's also of fundamental importance to policy makers and regulators as it is closely related to the functioning and the stability of financial markets, which has a direct linkage to the functioning and fluctuations of the real economy. Since the mid-70's, there is a remarkable rapid surge and expansion of the market of derivative assets and this has further reinforced the concentration of attention on this subject. Hedging funds play important roles in the portfolios of banks, whether commercial or investment, pension funds, insurance companies and the roles are essential in some securities houses. Central bankers pay close attention to the development of the markets of derivatives as the off-balance-sheet activities increase in their regulated banks and as catastrophic losses occur at a non-trivial frequency, for example, the episodes of the Bearings Bank, the Orange County event, and the Long-Term Capital Company. Whether such a trend is reversible¹ is debatable but it's clear that this trend is continuing at least in the near future, say 5 to 10 years². Another thing clear is the fact that what is at stake is increasing dramatically.³

Developed along the rise of the derivative markets is the literature on the modeling of the financial volatilities. Both from theoretical considerations and from empirical modeling of the data, a time-varying volatility is essential in almost all studies of issues related to the derivative assets. A milestone in the theory of derivative assets is Hull and White (1987), extending the Black and Scholes (1976) option valuation model with stochastic volatilities. This is an important contribution because it explains away some empirical regularity associated with the deficiency of the Black and Scholes model, namely, the smile pattern, among others. See Cox and

¹ One of the consequences of the 1997-1998 Asian financial crises was the reconsideration of central bankers on the pro/con of the derivative markets. Malaysia and Taiwan are two cases that the regulators have done some drastic policy moves halting the trade of some derivative securities related to foreign exchanges.

² Lawrence Summers in a recent address gives an analogy in describing the functioning of the financial industry in recent years by comparing it with a jumbo jet aircraft. The speed and economic efficiency of the airplane is remarkable by all measures. However, comes with the efficiency is the risk of a crash, complicated to estimate and almost unbearable to any airline company. Does it mean we should revert to the less sophisticated means of transportation given the reported crashes?

³ The above three examples of catastrophic risk related to derivative trading are related with (or has caused) the solvency of a reputable bank, a county government, and unknown number of commercial/investment banks with the loss amount large enough to cause the Federal Reserve Board to step in to avoid a large scale chain of multiple bank failures.

Rubinstein (1985) for a discussion of this issue. Models of stochastic volatilities have surged in the finance journals and are seriously adopted by investment banks, e.g., see Lewis (2000).

It's known for a long time in statistics that range is a viable measure of the variability of random variables, among other alternatives. In Chou (2000a) I propose as a simple yet useful measure of financial volatility using the range of asset prices within fixed time intervals. In a subsequent paper, Chou (2001b), I propose the CARR (Conditional Autoregressive Range) model for range as an alternative to the modeling of financial volatilities. It's shown both theoretically and empirically that CARR models are worthy candidates in volatility modeling in comparison with the existing methodologies, say the GARCH models. Empirically, the CARR model performs very satisfactory in forecasting volatilities of S&P500 using daily and weekly observations. In all four cases with different measures of the "observed volatility", CARR dominates GARCH in the Mincer/Markovitz regression of forecasting evaluations. The CARR model, not only representing a good volatility model, also extends the efficiency arguments in the literature considering using range as a volatility estimator; e.g., see Parkinson (1980), Garman and Klass (1980), Beckers (1983), Wiggins (1991), Rogers and Satchell(1991), Kunitomo (1992), Rogers (1998), and Yang and Zhang (2000). It's a puzzle (see Cox and Rubinstein (1985)) that despite the elegant theory and the support of simulation results, the range estimator has performed poorly in empirical studies. In Chou (2001b) I argue that the failure of all the range-based models in the literature is due to its ignorance of the temporal movements of the range. Using a proper dynamic structure for the conditional expectation of range, the CARR model successfully resolves this puzzle and retains its superiority in empirical forecasting powers.

I focus in the paper on an important feature in financial data: asymmetry. Conventionally, symmetric distributions are usually assumed in asset pricing models, e.g., normal distributions in CAPM and the Black/Sholes option pricing formula. Furthermore, in calculating various measures of risk, standard deviations (or equivalently, variances) are used frequently, which implicitly assume a symmetric structure of the prices. However, there are good reasons why the prices of speculative assets should behave asymmetrically. For investors, the more relevant risk is generated by the downward price moves rather than the upward price moves; the latter is important in generating the expected returns. For example, the consideration of the value-at-risk only utilizes the lower tail of the return distribution. There are also models of asset prices that utilize the third moment (an asymmetric

characteristic feature), for example, Levy (1974). Furthermore, asymmetry can arise in a dynamic setting in models considering time-varying conditional moments. For example, the ARCH-M model of Engle, Lillian and Robbins (1987) posits a linkage between the first sample moment and past second sample moments. This model has a theoretical interpretation in finance: the risk premium hypothesis (See Malkiel (1978), Pindyck (1984), Poterba and Summers (1986) and Chou (1988)). The celebrated leverage effect of Black (1975) and Christy (1976) is cast into a dynamic volatility model in the form of the linkage between the second sample moment and past first sample moments; See EGARCH of Nelson (1991) and NGARCH of Engle and Ng (1995), Duan (1995). Furthermore, the asymmetry can arise in other forms such as the volatility feedback of Campbell (1997). Barberis and Huang (2000) gives an example of loss aversion and mental account that would predict an asymmetric structure in the price movements. Tsay (2000) uses only observations of the downward, extreme movements in stock prices to model the crash probability.

I have incorporated one form of asymmetry, the leverage effect, into the CARR model in Chou (2001b) and it appears to be very significant, much more so than reported in the literature of GARCH or Stochastic Volatility models. The nature of the CARR model is symmetric because range is used in modeling which treats the maximum and minimum symmetrically. In this paper I consider a more general form of asymmetry by allowing the dynamics structure of the upward price movements to be different from that of the downward price movements. In other words, the maximum and the minimum of price movements in fixed intervals are treated in separate forms. It may be relevant to suspect that the information in the downward price movements are as relevant as the upward price movements in predicting the upward price movements in the future. Similarly, the opposite case is true. Hence it is worthy to model the CARR model asymmetrically.

The paper is organized as following. I propose and develop the Asymmetric CARR (ACARR) model with theoretical discussions in section 2. In addition, I also discuss some immediate natural extensions of the ACARR model. An empirical example is given in section 3 using the S&P500 daily index. Section 4 concludes with considerations of future extensions.

2. Model specification, estimation, and properties

2.1 The model specification, stochastic volatilities and the range

Let P_t be the logarithmic price of a speculative asset observed at time t , $t = 1, 2, \dots, T$. P_t is a realization of a price process $\{P_t\}$, which is assumed to be a continuous process⁴. I further assume that within each time interval, we observe P_t at every fixed time interval dt . Let n denote the number of intervals between each unit time, then $dt = 1/n$. There are hence, $n+1$ observations within each time interval between $t-1$ and t . Let P_t^o , P_t^c , P_t^{HIGH} , P_t^{LOW} be the opening, closing, high and low prices, in natural logarithm, between $t-1$ and t . The closing price at time t will be identical to the opening price at time $t+1$ in considerations of markets that are operated continuously, say, some of the foreign exchange markets. Further, define UPR_t , the upward range, and $DWNR_t$, the downward range as the differences between the daily highs, daily lows and the opening price respectively, at time t , in other words,

$$(2.1) \quad UPR_t = P_t^{HIGH} - P_t^o$$

$$DWNR_t = P_t^{LOW} - P_t^o$$

Note that these two variables, UPR_t and $DWNR_t$, represent the maximum returns and the minimum returns respectively over the unit time interval $(t-1, t)$. This is related to the range variable in Chou (2001b) that R_t , defined to be

$$(2.2) \quad R_t = P_t^{HIGH} - P_t^{LOW}$$

It's clear that the range is also the difference between the two variables, UPR_t and $DWNR_t$, in other words,

$$(2.3) \quad R_t = UPR_t - DWNR_t$$

⁴ A general data generating process for P_t can be written as

$$dP_t = \mathbf{m} + \mathbf{s}_t dW_t$$

$$d\mathbf{s}_t = \mathbf{q}_t + \mathbf{k} dV_t$$

where W_t and V_t are two independent standard Wiener processes, or Brownian motions.

In Chou (2001b) I propose a dynamic model, the CARR (Conditional AutoRegressive Range) model, for the range. It's a conjecture that the extreme value theory can be used to show that the conditional range, or equivalently the disturbance term, has a limiting distribution that is governed by a shifted Brownian bridge on the unit interval⁵. This is true under very general regularity conditions. In this paper, I propose a model for the one-sided range, UPR_t and $DWNR_t$, to follow a similar dynamic structure. In particular,

$$(2.4) \quad UPR_t = \mathbf{I}_t^u \mathbf{e}_t^u$$

$$DWNR_t = -\mathbf{I}_t^d \mathbf{e}_t^d$$

$$\mathbf{I}_t^u = \mathbf{w}^u + \sum_{i=1}^p \mathbf{a}_i^u UPR_{t-i} + \sum_{j=1}^q \mathbf{b}_j^u \mathbf{I}_{t-j}^u$$

$$\mathbf{I}_t^d = \mathbf{w}^d + \sum_{i=1}^p \mathbf{a}_i^d DWNR_{t-i} + \sum_{j=1}^q \mathbf{b}_j^d \mathbf{I}_{t-j}^d$$

$$\mathbf{e}_t^u \sim iid f^u(.), \quad \mathbf{e}_t^d \sim iid f^d(.).$$

Model (2.4) is called the Asymmetric Conditional Autoregressive Range (Asymmetric CARR or ACARR, henceforth). In the following discussions, I will disregard the super-scripts when there is no concern of confusion. In (2.4) \mathbf{I}_t is the conditional mean of the one-sided range based on all information up to time t. The distribution of the disturbance terms \mathbf{e}_t of the normalized One-Sided-Range, or OSR_t ($=UPR_t$ or $DWNR_t$), $\mathbf{e}_t = OSR_t / \mathbf{I}_t$, are assumed to be identically independent with density function $f^i(.)$, where $i=u$ or d . Given that both the one-sided ranges UPR_t and $-DWNR_t$, and their expected values \mathbf{I}_t are both positive hence their disturbances \mathbf{e}_t , the ratio of the two, are also positively valued.

The asymmetric behavior between the market up movements and down movements can be characterized by different values for the pairs of parameters, $(\mathbf{w}^u, \mathbf{w}^d)$, $(\mathbf{a}^u, \mathbf{a}^d)$, $(\mathbf{b}^u, \mathbf{b}^d)$ and from the error distributions $(f^u(.), f^d(.))$.

The equations specifying the dynamic structures for \mathbf{I}_t 's characterize the persistence of shocks to the one-sided range of speculative prices or what is usually known as the volatility clustering as documented by Mandelbrot. The parameters \mathbf{w} ,

⁵ See Lo (1991) for a similar case and a proof.

\mathbf{a}_i , \mathbf{b}_j , characterize respectively, the inherent uncertainty in range, the short-term impact effect and the long-term effect of shocks to the range (or the volatility of return). The sum of the parameters $\sum_{i=1}^p \mathbf{a}_i + \sum_{j=1}^q \mathbf{b}_j$, plays a role in determining the persistence of range shocks. See Bollerslev (1986) for a discussion of the parameters in the context of GARCH.

The model is called an Asymmetric Conditional AutoRegressive Range model of order (p,q), or ACARR(p,q). For the process to be stationary, we require that the characteristic roots of the polynomial to be out side the unit circle, or $\sum_{i=1}^p \mathbf{a}_i + \sum_{j=1}^q \mathbf{b}_j < 1$. The long-term range denoted $\bar{\omega}$, is calculated as $\bar{\omega}/(1 - (\sum_{i=1}^p \mathbf{a}_i + \sum_{j=1}^q \mathbf{b}_j))$. Further, all the parameters in the second equation, are assume positive, i.e., \mathbf{w} , \mathbf{a}_i , $\mathbf{b}_j > 0$.

It's useful to compare this model with the Conditional AutoRegressive Range model (CARR) of Chou (2001b):

$$(2.5) \quad \begin{aligned} R_t &= \mathbf{l}_t \mathbf{e}_t \\ \mathbf{l}_t &= \mathbf{w} + \sum_{i=1}^p \mathbf{a}_i R_{t-i} + \sum_{j=1}^q \mathbf{b}_j \mathbf{l}_{t-j} \\ \mathbf{e}_t &\sim iid f(.) \end{aligned}$$

Ignoring the distribution functions, the ACARR model reduces to the CARR if all the parameters with superscript u and d are identical pair-wise. Testing these various types of model asymmetry will be of interest because asymmetry can arise in varieties, e.g., size of the range, i.e., level of the volatility ($\bar{\mathbf{w}} = \mathbf{w}/(\mathbf{1} - \mathbf{a} - \mathbf{b})$), the speed of mean-reversion ($\mathbf{a} + \mathbf{b}$), and the short-term (\mathbf{a}) versus long-term (\mathbf{b}) impact of shocks.

It will be shown that although the sampling distributions may be different, the limiting distributions of \mathbf{e}_t^u and \mathbf{e}_t^d are identical. Note also that the distribution for the disturbance will be different from the one in CARR because these are maximum and minimum while in CARR the disturbance is the sum of the maximum and the minimum. My result follows from Davis (1979, 1983) who provides limiting joint and marginal distributions for the maximum and minimum.

Equation (2.4) is a reduced form for the one-sided ranges. It is straight forward to consider extending the model to include other explanatory variables, $X_{t-1,l}$ that are measurable with respect to the information set up to time $t-1$.

$$(2.6) \quad I_t = w + \sum_{i=1}^p a_i R_{t-i} + \sum_{j=1}^q b_j I_{t-j} + \sum_{l=1}^L g_l X_{t-1,l}$$

This model is called the ACARR model with exogenous variables, or ACARRX. Among others, some important exogenous variables are trading volume (See Lamoroe and Lastrape (1990), Karpoff (1988)), the lagged returns measuring the leverage effect of Christie (1975), Black (1976) and Nelson (1990) and some seasonal factor to characterize the seasonal pattern within the range interval.

Note that although we have not specified specifically, all the variables and parameters in (2.4) are all dependent on the parameter n , the number of intervals used in measuring the price within each range-measured interval. It's clear that all the range estimates are downward biased if we assume the true data-generating mechanism is continuous or if the sampling frequency is lower than that of the data generating process if the price is discrete. The bias of the size of the one-sided-range, whether upward range (UPR_t) or downward range ($DWNR_t$), like the total range, will be a non-increasing function of n . Namely, the finer the sampling interval of the price path, the more accurate the measured ranges will be.

It's possible that the highest frequency of the price data is non-constant given the heterogeneity in the trading activities within each day and given the nature of the transactions of speculative assets. See Engle and Russell (1998) for a detailed analysis of the non-constancy of the trading intervals, or the durations. Extensions to the analyses of the ranges of non-fixed interval prices will be an interesting subject for future research⁶. However, some recent literature suggest that it's not desirable to work with the transaction data in estimating the price volatility given the consideration of microstructures such as the bid/ask bounces, the intra-daily seasonality, among others. See Anderson et.al. (2000), Bai, Russell and Tiao (2000), and Chen, Russell and Tsay (2000).

⁶ It's not clear to me yet how the daily highs/lows of asset prices are compiled reported on the public or private data sources such as the Wall Street Journal, Financial Times and in CRSP. They may be computed from a very high, fixed frequency. Alternatively, they may be computed directly from the transaction data, a sampling frequency with non-fixed intervals.

As is the case for the CARR model, the ACARR model mimics the ACD model of Engle and Russell (1998) for durations between trades. Nonetheless, there are important distinctions between the two models. First, duration is measured at some random intervals but the range is measured at fixed intervals, hence the natures of the variables of interest are different although they share the common property that all observations are positively valued. Secondly, in the ACD model, the distribution of the disturbances is usually chosen arbitrarily - a feature also shared by all GARCH models. The ACARR model, on the contrary, has some natural choices from the results of extreme value theories in statistics.⁷

2.2 Properties of ACARR: estimation and relationships with other models

Given that the ACARR model has exactly the same form as the CARR model, all the statistical results in CARR apply to ACARR. Further more, the ACARR model has some unique properties of its own. We illustrate some of the important properties in this subsection. Given that the upward range and the downward range evolutions are specified independently, the estimation can hence be performed independently. Further, consistent estimation of the parameters can be obtained by the Quasi-Maximum Likelihood Estimation or QMLE method.

Proposition 1: (Consistency) Assuming any general density function $f^i(\cdot)$ ($i=u$ or d) for the disturbance term \mathbf{e}_t^i , ($i=u$ or d) the parameters in the ACARR model can be estimated consistently by QMLE in which the density function of the disturbance term \mathbf{e}_t^i , ($i=u$ or d), or equivalently, the conditional density function of the one-sided range are given by an exponential density function.

Proof: See the proof in Chou (2001b).

Given the exponential distribution for the error terms, we can perform the Quasi-Maximum Likelihood Estimation. Using R_t , $t=1,2,\dots,T$ as a general notation of UPR_t and $DWNR_t$, the log likelihood function for each of the one-sided range series is:

⁷ Although in this paper we follow the approach of Engle and Russell (1998) in relying on the QMLE for estimation, it is important to recognize the fact that the limiting distribution of CARR is known while it is not the case for ACD. This issue is dealt with in the later section.

$$L(\mathbf{a}_i, \mathbf{b}_j; R_1, R_2, \dots, R_T) = - \sum_{t=1}^T \left[\log(I_t) + \frac{R_t}{I_t} \right].$$

The intuition of this proposition relies on the insight that the likelihood function in ACARR with an exponential density is identical to the GARCH model with a normal density function with some simple adjustments on the specification of the conditional mean. Furthermore, all asymptotic properties of GARCH apply to ACARR. Given that ACARR is a model for the conditional mean, the regularity conditions (e.g., the moment condition) are in fact, less stringent than in GARCH.

Note that although QMLE is consistent, it is not efficient. The efficiency can be obtained if the conditional density function is known. This leads us to the limiting distribution of the conditional density of range. The discussion will require a far more complicated theoretic framework, which is worthy of pursuing by an independent work. I hence do not pursue this route in this paper and follow the strategy of Chou (2001b) in relying on the QMLE.⁸ Again, it's an empirical question as to how substantial in efficiency such methods can generate. Engle and Russell (1998) reported that deviations from the exponential density function do not offer efficiency gain sufficiently high in justifying the extra computation burdens.

It is important to note that the direct application of QMLE will not yield consistent estimates for the covariance matrix of the parameters. The standard errors of the parameters are consistently estimated by the robust method of Bollerslev and Wooldridge (1996). The efficiency issue related to these estimates is a subject for future investigation.

Another convenient property for ACARR (due to its connection with ACD) is the ease of estimation. Specifically, the QMLE estimation of the ACARR model can be obtained by estimating a GARCH model with a particular specification: specifying a GARCH model for the square root of range without a constant term in the mean equation⁹. This property is related to the above QMLE property by the observation of the equivalence of the likelihood functions of the exponential distribution in ACARR and ACD and of the normal density in GARCH. It indicates that it is

⁸ It's of course a worthy topic for future research as to how much of efficiency gain can be obtained by utilizing the FIML with the limiting distribution to estimate the parameters. Alternatively, one can estimate the density function using nonparametric methods.

⁹ See Engle and Russell (1998) for a proof.

almost effortless to estimate the ACARR model if a GARCH software is available.

It will be interesting and important to investigate whether the ACARR model will satisfy a closure property, namely, whether the ACARR process is invariant to temporal and cross-sectional aggregations. This is important given the fact that in financial economics, aggregates are frequently encountered, e.g., portfolios are cross-sectional aggregates and monthly, weekly returns are temporal aggregates of daily returns. It's also a property that is stressed in the literature of time series econometrics.¹⁰

Another interesting property of the CARR model is the encompassing property. It is interesting that the square-root-GARCH model turns out to be a special case of CARR, and in fact, the least efficient member of the CARR model. This property does not apply to ACARR since there are no analogies of the open to maximum (minimum) in the GARCH model family.

2.3 Robust ACARR

It is suggested in statistics that range is sensitive to outliers. It is useful hence, to consider extension of ACARR to address such considerations. I consider robust measures of range to replace the standard range defined as the difference between the max and the min. A simple naive method is to use the next-to-max for max and the next-to-min for min. By so doing, the chance of using outliers created by typing errors will be greatly reduced. It will also reduce the impact of some true outliers.

A second alternative is to use the quantile range, for example, a 90% quantile range is defined as the difference between the 95% percentile and the 5% percentile. A frequently adopted robust range is the interquartile range (IQR) which is a 75% quantile and it can be conveniently obtained by taking the difference of the medians of the top and lower halves of the sampling data. In measuring a robust maximum or minimum likewise, we can use the 75% quantile in both the upward price distribution and the downward price distribution.

Similarly other types of robust extreme values can be adopted like the next-ith-to-max (min) and the average of the top 5% observations and the bottom 5%

¹⁰ It's noteworthy that the closure property holds only for the weak-GARCH processes. Namely, in general, the GARCH process is not closed under aggregation. See Nijman and Drost (1996) for the discussion of the closure property of GARCH process.

observations, et.al. There are several important issues relevant in such considerations such as the efficiency loss, e.g., the interquartile range discards 50% of the information while the next-to-max approach discards very little. Another issue is the statistical tractability of the new range measures. For example, the quantile range will have a more complicated distribution than the range and the statistical property for the next-ith-to-extreme approach is less known than the quantile range. Another consideration is the data feasibility, in most cases, none of the information other than the extreme observations is available. For example, the standard data sources such as CRSP, and the Wall Street Journal, the Financial Times only report the daily highs and lows. As a result, the robust range estimators are infeasible unless one uses the intra-daily data. Nonetheless, the robust range estimators are feasible if the target volatility is measured at lower frequency than a day. This is obvious since there are twenty some daily observations available in each given month hence the monthly volatility can be measured by a robust range if the outlier problem is of concern. Given the existence of intra-daily data, daily robust range model is still an important topic for future research since the stake is high in ensuring a high precision in forecasting volatilities.

3. An Empirical Example using the S&P500 Daily Index, 1962/01/03-2000/08/25

3.1 The Data Set

The daily index data of the Standard and Poor 500 (S&P500) are used for my empirical study in this paper to gauge the effectiveness of the ACARR model. The data set is downloaded from the finance subdirectory of the website “Yahoo.com”. The sample period covered in this paper is 1962/01/03-2000/08/25. The models are estimated by using this daily data set and in latter part of this section, comparisons are made for various volatility models on the accuracy of the volatility predictions.

Figures 1-4 give the plots of the daily max and min price movements. Tables 1 gives the summary statistics of range, UPR_t , and $DWNR_t$. It's interesting that the upward range and downward range are roughly symmetric from the closeness of summary statistics and the seemingly reflective nature of figure 1. Another interesting observation (see figures 2,3 and 4) is that excluding the outlier of the 1987 crash, the two measures have very similar unconditional distributions. Careful inspection of the figures and tables however, reveals important differences in these two measures of market movements in the two opposite directions. For example, although both one-sided ranges (henceforth OSR's) have clustering behaviors but their extremely large values occur at different times and with different magnitudes. Further as figure 5 shows, the magnitude of the autocorrelation for the UPR seems to be consistently higher than that of the DWNR indicating different level of persistence. The dynamic structures of the two range processes are also at odds with each other as shown in the difference in the fitted models. This will be discussed in the later part of the paper.

Sub-samples are considered because there is an apparent shift in the level of the daily ranges roughly on the date 1982/04/20. The averaged range level was reduced by almost a half since this particular date. Reductions in the level of similar magnitude are seen for the max and min as well. It's likely an institutional change occurred at the above-mentioned date. From a telephone conversation with the Standard and Poor Incorporated, the source of this structural change was revealed. Before this stated date, the index high and index low were compiled by aggregating the highs and lows of individual firm prices for each day. This amounts to assume that the highs and lows for all 500 companies occur at the same time in each day. This is clearly an incorrect assumption and amounts to an overestimate of the highs and an underestimate of the lows. As a result, the ranges are over-estimated. The

compiling process was corrected after April 1982.¹¹ The company computes the index value at some fixed (unknown to me, say, 5 minutes) intervals within each day and then select the maximum and minimum price levels to be the index highs and index lows.¹²

3.2 Estimating results

We use QMLE to estimate the ACARR and ACARRX models with different dynamic specifications and exogenous variables. The exogenous variables considered are lagged return, r_{t-1} , for the leverage effect, a Tuesday (TUE) and a Wednesday dummy (WED), for the weekly seasonal pattern, a structural shift dummy (SD, 0 before 1982/4/20 and 1 otherwise) for capturing the shift in the data compiling method. I also include the lagged opposite range variable, i.e., DWNR in the UPR model and UPR in the DWNR model. This is for the consideration of the volatility clustering effect. Table 2 and table 3 give respectively the model estimating results for UPR and for DWNR.

It's interesting that for both one-sided ranges, a ACARR(2,1) clearly dominates the simpler alternative of ACARR(1,1) model, which is in contrast of the result in Chou (2001b) using CARR to estimate the range variable¹³. This is shown clearly by the difference in the values of the log likelihood function (LLF) reported for the two models, ACARR(1,1) vs. ACARR(2,1). The ACARR(2,1) model is consistent with the specification of the Component GARCH model of Engle and Kim (1999), in which the volatility dynamics is decomposed into two parts, a permanent component and a temporary component.

Another conjecture for the inadequacy of the (1,1) dynamic specification is related to the volatility clustering effect. It's known that volatility clusters over time and in the original words of Mandelbrot (1963), "large changes tend to be followed by large changes and small by small, of either sign...". Given that range can be used as a measure of volatility (see Chou (2001a)), both UPR and DWNR can be viewed as "signed" measure of volatility. It is hence not surprising that a simple dynamic structure offered by the ACARR(1,1) model is not sufficient to capture the clustering effect. This conjecture is supported by the result of the model specification of

¹¹ The exact date is unknown since this change in compiling process was not documented by the company. However, from a detailed look at the data, the most likely date is April 20, 1982.

¹² Mathematically, these two compiling methods are respectively, index of the highs (lows) and highs (lows) of the index. The Jensen inequality tells us that these two operations are not interchangeable.

¹³ For the range variable, it is consistently found that a CARR(1,1) model is sufficient to capture the dynamics for daily and weekly and for different sub-sample periods.

ACARRX(2,1)-b where the opposite one-sided range are included and the coefficients significantly different from zero.

The dynamic structures for the UPR and DWNR variable are different as is revealed in comparing the values of the coefficients. The coefficient of β_1 , measuring the long-term persistence effect, is (0.927, 0.906, 0.911) respectively for the three different ACARRX specifications for DWNR in table 3. They are all higher than their corresponding elements (0.903, 0.871, 0.877) in the ACARRX models for UPR in table 2. This suggests that volatility shocks in the downside are more long-lived than in the upside. Further the impact coefficient α_1 is equal to (0.252, 0.233, 0.239) in the DWNR models and is (0.203, 0.179, 0.186) in the UPR models. Volatility shock effects in the short-run are also higher for the downside shocks than for the upward surges. Both of these findings are new in the literature of financial volatility models as all existing literatures do not distinguish the shock asymmetry in this fashion.

Another interesting comparison between the two one-sided range models is on the leverage effect. This coefficient is statistically negative (positive) for the ACARRX(2,1)-a specifications for the UPR (DWNR). It is however, less significant or insignificant in models ACARRX(2,1)-b and ACARRX(2,1)-c, when the lagged opposite one-sided range is included. My conjecture is that the opposite sided ranges are correlated with the returns and hence multicollinearity reduces some explanatory power of the leverage effect. It remains, however, to be explained why such a phenomenon is more severe for the DWNR model than the UPR models. I leave this issue for future studies.

A different weekly seasonality also emerges from the comparison of the estimation result of the two one sided ranges. For reasons unknown to me, a positive Tuesday effect is found for the upward range while a negative Wednesday effect is present for the downward range. The dummy variable SD, measuring the effect of the structuring change in the data compiling method, are not significant for UPR models but are negatively significant for one of the DWNR models. It's not clear why there should be such difference in the results. Again I leave these as empirical puzzles to be explored in future studies.

Model specification tests are carried out in two ways, the Ljung-Box Q statistics and the Q-Q plots. The Ljung-Box Q statistics measure the overall significance of the autocorrelations in the residuals for the fitted models. The evidence shown in the

two tables are consistent that a pure ACARR model is not sufficient and exogenous variables are necessary to warrant the model to pass the model misspecification tests. Using a 5% significance level for the test, the model is satisfactory once the lagged returns, the weekly dummies and the opposite-sided range are included in the specifications.

Figures 6 (figure 7) provide the expected and observed UPR (DWNR). It is interesting to note that the ACARR model gives smoother yet very adaptive estimates of the two one-sided ranges. Figures 8-11 are histograms and Q-Q plots of the estimated residuals in the two models. Each seems to indicate that the exponential distribution is satisfactory roughly for the two signed-ranges variables. The fit for the UPR seems to be better than that for the DWNR as measured by the deviations of the Q-Q plot from the 45 degree lines. This fact further indicates the difference in the characteristics of the two variables in addition to the results reported above. Further investigation in the direction may also be useful.

The message from this section is clear: the market dynamics for the upward swing and the downward plunge are different. They are different in their dynamics of the volatility shocks, i.e., the short-term impact and long-term persistence. They are also different in the forces that have effects on them, the leverage effect, the weekly seasonal effect and the volatility clustering effect. Finally, even the error structures of the two variables are different.

3.3 Comparing ACARR and CARR, the asymmetric model with the symmetric model

Although the above results shows important differences in the models for the upward range and the downward range, we further ask a question on the value of the modeling of asymmetries. How much difference does this modeling consideration make to improve the power of the model in forecasting volatilities? In Chou (2001b) I proposed the CARR model, where the upward and downward movements of the stock price are treated symmetrically. I showed that the CARR model provides a much sharper tool in forecasting volatility than the GARCH model. In this section, we further compare the forecasting power for volatilities of the CARR model which ignores the asymmetry, and the ACARR model which give explicit considerations to the asymmetric structures. Given our finding of the importance of modeling asymmetry in the above section, we would expect the ACARR model to provide more accurate volatility forecast comparing with the CARR model.

Since volatility is an unobservable variable, we employ three proxies as measures of volatility (henceforth MV's). They are the daily high/low range (RNG) as defined in (2.2), the daily return squared (RETSQ) as is commonly used in the literature of volatility forecast comparisons and the absolute value of the daily returns (ARET) which is more robust to outliers than the second measure. We then use the following regressions to gauge the forecasting powers of the CARR and the ACARR models.

$$(3.1) \quad MV_t = a + b FV_t(\text{CARR}) + u_t$$

$$(3.2) \quad MV_t = a + b FV_t(\text{ACARR}) + u_t$$

$$(3.3) \quad MV_t = a + b FV_t(\text{CARR}) + c FV(\text{ACARR}) + u_t$$

where $FV_t(\text{CARR})$ is the forecasted volatility using the CARR model in (2.5). $FV_t(\text{ACARR})$ is computed as the sum of the forecasted UPR and forecasted DWNR as is shown in (2.4). Proper transformations are made to adjust the difference between a variance estimator and a standard deviation estimator. Table 4 gives the estimation result.

The results are consistent for the three measures of volatility. In all cases, the forecasted volatility using ACARR dominates the forecasted volatility using CARR. In the three measures, the corresponding t-ratios for the two models are (21.83, 0.46) using RNG, (7.61, -2.32) using RETSQ and (8.09, -1.91) using ARET. Once the forecasted volatility using ACARR is included, CARR provides no additional explanatory power. Another interesting observation is that both RETSQ and ARET are much more noisier than RNG. Hence the adjusted R-squares of the regression using these two measures are much smaller than that using RNG.

4. Conclusion

The ACARR model provides a simple, yet efficient and natural framework to analyze the asymmetry of the price movement in financial markets. Applications can be used in computing the option prices where the upward (downward) range (or the maximum (minimum) return) is more relevant for computing the price of a call (put) option. Value-at-Risk is another important area for applications using the downward range dynamic model. The ACARR model is related to studies like the duration between a threshold high or low price level. Further more, the ACARR model can be used to forecast volatilities comparing with the symmetric model, CARR or other competing volatility models like GARCH or SV models. Further Monte Carlo analysis will be useful as well as applications to other financial markets such as foreign exchanges, bonds, and commodities. Applications of the ACARR model to other frequency of range interval, say every 30 minutes, every hour, or every quarter and other frequencies, will provide further understanding of the usefulness/limitation of the model. Other generalization of the ACARR model will be worthy subjects of future research, for example, the generalization of the univariate to a multivariate framework, models simultaneously treat the price return and the range data, long memory ACARR models,¹⁴ FIML estimations of ACARR, ACARR diffusion models in the spirit of Duan (1995, 1997).

The ACARR model in this paper can be seen as an example of an emerging literature: applications of extreme value theory in finance. Embrecht, Kluppelberg and Mikosch (1999) and Smith (1998), among others, are strong advocates of such an approach in studying many important issues in financial economics. Noticeable examples are Embrecht and McNeil (1998) for correlation of market extreme movements, McNeil and Frey (2000) for volatility forecasts, and Tsay (2000) for modeling crashes¹⁵. In fact, all the static range literature (Parkinson (1980)) and the long-term dependence literature using rescaled range (Mandelbrot (1972,1975), Lo (1991)) can be viewed as earlier examples of this more general broader approach to the study of empirical finance.

¹⁴ In the daily ACARR models, as is suggested by the Portmanteau statistics, the memory in range (hence in the volatility) seems to be longer than can be accounted for using the simple ACARR(1,1) or ACARR(2,1) models with short memories. However, such a phenomenon disappears in the weekly model. Given our empirical results, it's questionable whether such an attempt is useful in practice.

¹⁵ See also Davis (199?).

References

- Alizadeh, S., Brandt, M.W. and Diebold, F.X., 2002, Range-based estimation of stochastic volatility models, *Journal of Finance*, 57, in press.
- Anderson, T., T. Bollerslev, F. Diebold and P. Labys (2000), "The distribution of exchange rate volatility," forthcoming, *Journal of American Statistical Association*
- Bai, X., J. Russell and G. Tiao (2000), "Beyond Merton's Utopia: effects on non-normality and dependence on the precision of variance estimates using high-frequency financial data," GSB working paper, University of Chicago.
- Barberis, N. and M. Huang (2000), "Mental Accounting, Loss Aversion, and Individual Stock Returns," GSB working paper, University of Chicago
- Beckers, S. (1983), "Variance of security price return based on high, low and closing prices," *Journal of Business*, 56, 97-112.
- Black, F. (1976) "Studies of stock, price volatility changes," *Proceedings of the 1976 meetings of the Business and Economics Statistics Section*, American Statistical Association.
- Bollerslev, T. (1986), "Generalized autoregressive conditional heteroscedasticity." *Journal of Econometrics* 31, 307-27.
- Bollerslev, T., R. Chou, and K. Kroner (1992), "ARCH modeling in finance: a review of the theory and empirical evidence." *Journal of Econometrics* 52, 5-59.
- Bollerslev, T., R. Engle and D. Nelson (1994), "ARCH models," in *Handbook of Econometrics*, IV, 2959-3038, eds. R. Engle and D. McFadden, Amsterdam: North-Holland
- Black, F. and M. Scholes (1973), "The pricing of options and corporate liabilities," *Journal of Political Economy*, 81, 637-659.
- Campbell, J. (1997), "Asset prices, consumption and the business cycle," in Taylor

- and Woodford (eds), *The Handbook of Macroeconomics*, North Holland, Amsterdam.
- Chen, M., J. Russell and R. Tsay (2000), "Information Determinants of Bid and Ask Quotes: Implications for Market Liquidity and Volatility," Working paper, GSB, University of Chicago.
- Chou, R. (1988), "Volatility persistence and stock valuations: some empirical evidence using GARCH." *Journal of Applied Econometrics* 3, 279-94.
- Chou, R. (1999), "EV-GARCH an efficient conditional variance estimator with extreme values," NSC report, NSC 88-2415-H-001-032
- Chou, R. (2001a) "Range as a measure of volatility," mimeo, GSB, University of Chicago
- Chou, R. (2001b) "Forecasting financial volatilities with extreme values: the conditional autoregressive range (CARR) model," mimeo, Institute of Economics, Academia Sinica
- Cox and Rubinstein (1985) *Options Markets*, Printice-Hall.
- Davis, R. (1983) "Stable limits for partial sums of dependent random variables," *Annals of Probability*, 11, 262-269.
- Duan, J. (1995), "The GARCH option pricing model," *Mathematical Finance*, 5, 13-32
- Duan, J. (1997) "Augmented GARCH(p,q) process and its diffusion limit," *Journal of Econometrics*, 79, 97-127.
- Embrecht, P., C. Kluppelberg and T. Mikosch (1999), *Modelling extremal events for insurance and finance*. Springer, Berlin.
- Engle, R. F. (1982), "Autoregressive conditional heteroscedasticity with estimates of the variance of U.K. inflation." *Econometrica* 50, 987-1008.

Engle, R.F. (1995), *ARCH selective readings*, Oxford publication

Engle, R.F. and J. Russell (1998) “Autoregressive conditional duration: a new model for irregular spaced transaction data,” *Econometrica*, 66, 5, 1127-1162.

Feller, W. (1951), “The asymptotic distribution of the range of sums of independent random variables,” *Annals of Mathematical Statistics*, 22, 427-432.

French, K., W. Schwert, and R. Stambaugh (1987), “Expected stock returns and volatility,” *Journal of Financial Economics*, 19, 3-29.

Galant, A., C. Hsu and G. Tauchen (1999), “Calculating volatility diffusions and extracting integrated volatility,” *Review of Economics and Statistics*,

Garman M., and M. Klass (1980), “On the estimation of security price volatilities from historical data,” *Journal of Business*, 53, 67-78.

Harvey, A. (1992) “Stochastic volatility model...” *Journal of Econometrics*

Heston, S. (1993), “Closed-form solution of options with stochastic volatility with application to bond and currency options,” *Review of Financial Studies*, 6, 327-343.

Heston, S. and S. Nandi (1998?) “A closed form solution to the GARCH option pricing model,” *Review of Financial Studies*

Hull, J. and A. White (1987), “The pricing of options on assets with stochastic volatilities,” *Journal of Finance*, 42, 281-300

Hurst, H. (1951), “Long term storage capacity of reservoirs,” *Transactions of the American Society of Civil Engineers*, 116, 770-799.

Jarrow, R. (1999), *Volatility, Risk* publications.

Karpoff, J. (1987), “The relation between price change and trading volume: a survey,” *Journal of Financial and Quantitative Analysis*, 22, 109-126.

Kennedy, D. (1976), “The distribution of the maximum Brownian excursion,” *Journal*

of Applied Probability, 13, 371-376.

Kunitomo, N. (1992), "Improving the Parkinson method of estimating security price volatilities," *Journal of Business*, 65, 295-302.

Lamoureux, C. and W. Lastrapes, (1990), "Heteroskedasticity in stock return data: volume versus GARCH effect," *Journal of Finance*, 45, 221-229.

Lewis, A. (2000) *Option Valuation under Stochastic Volatility with Mathematica Code*, Finance Press

Lo, A., (1991), "Long memory in stock market prices," *Econometrica*, 59, 5, 1279-1313.

Mandelbrot, B. (1971), "When can price be arbitrated efficiently? A limit to the validity of the random walk and martingale models," *Review of Economics and Statistics*, 53, 225-236.

Mandelbrot, B. (1972), "Statistical methodology for non-periodic cycles: from the covariance to R/S analysis," *Annals of Economic and Social Measurement*, 1, 259-290.

Mandelbrot, B. (1975), "Limit theorems on the self-normalized range for weakly and strongly dependent processes," *Z. Wahrscheinlichkeitstheorie verw. Gebiete*, 31, 271-285.

McNeil, A. and R. Frey (2000) "Estimation of tail-related risk measures for heteroscedastic financial time series: an extreme value approach," forthcoming, *Journal of Empirical Finance*.

Nelson, D. (1990), "ARCH models as diffusion approximations," *Journal of Econometrics*, 45, 7-39.

Nelson, D. (1991), "Conditional heteroskedasticity in asset returns: a new approach," *Econometrica*, 59, 347-370.

Parkinson, M. (1980), "The extreme value method for estimating the variance of the rate of return," *Journal of Business*, 53, 61-65.

Pindyck, R. (1984), "Risk, inflation, and the stock market," *American Economic Review*, 1984, 74, 335-351.

Poterba, J. and L. Summers (1986), "The persistence of volatility and stock market fluctuations," *American Economic Review*, 76, 1142-1151.

Ritchken and Trevor (1999) "GARCH option pricing," *Journal of Finance*

Rogers, C. (1998), "Volatility estimation with price quanta," *Mathematical Finance*, 8-3, 277-290.

Rogers, C. and S. Satchell(1991), "Estimating variance from high, low and closing prices," *Annals of Applied Probability* 1(4), 504-512.

Rossi, P. (1996) *Modeling stock market volatility- bridging the gap to continuous time*, Academic Press.

Siddiqui, M. (1976), "The asymptotic distribution of the range and other functions of partial sums of stationary processes," *Water Resources research*, 12, 1271-1276.

Smith, R. (1999), "Measuring risk with extreme value theory," working paper, department of Statistics, University of North Carolina at Chapel Hill.

Taylor, J. (1986), *Modelling Financial Time Series*, Chichester: John Wiley and Sons.

Taylor, J. (1994), "Modeling stochastic volatility: a review and comparative study," *Mathematical Finance*, 4, 183-204.

Tsay, R. (1999), "Extreme value analysis of financial data," working paper, GSB, University of Chicago.

Tsay, R. (2001), *Analysis of Financial Time Series*, forthcoming, Wiley publications

Wiggins, J. (1991), "Empirical tests of the bias and efficiency of the extreme-value variance estimator for common stocks," *Journal of Business*, 1991, 64, 3, 417-432.

Yang, D. and Q. Zhang (2000), "Drift independent volatility estimation based on high, low, open, and close prices," *Journal of Business*, 73, 3, 477-491.

**Table 1: Summary Statistics of the Daily Range, Upward Range and Downward Range of
S&P500 Index, 1/2/1962-8/25/2000**

		<u>Nobs</u>	<u>Mean</u>	<u>Median</u>	<u>Max</u>	<u>Min</u>	<u>Std Dev</u>	<u>ρ_1</u>	<u>ρ_2</u>	<u>ρ_{12}</u>	<u>Q(12)</u>
Full sample											
RANGE	1/2/62-8/25/00	9700	1.464	1.407	22.904	0.145	0.76	0.629	0.575	0.443	30874
UPR	1/2/62-8/25/00	9700	0.737	0.636	9.053	0	0.621	0.308	0.147	0.172	3631
DWNR	1/2/62-8/25/00	9700	-0.727	-0.598	0	-22.9	0.681	0.326	0.181	0.162	4320
Before structural shift											
RANGE	1/2/62-4/20/82	5061	1.753	1.643	9.326	0.53	0.565	0.723	0.654	0.554	21802
UPR	1/2/62-4/19/82	5061	0.889	0.798	8.631	0	0.581	0.335	0.087	0.106	1199
DWNR	1/2/62-4/19/82	5061	-0.864	-0.748	0	-6.514	0.559	0.378	0.136	0.163	2427
After structural shift											
RANGE	4/21/82-8/25/00	4639	1.15	0.962	22.904	0.146	0.818	0.476	0.414	0.229	11874
UPR	4/21/82-8/25/00	4639	0.572	0.404	9.053	0	0.622	0.189	0.089	0.125	651
DWNR	4/21/82-8/25/00	4639	-0.578	-0.388	0	-22.9	0.767	0.247	0.147	0.101	994

**Table 2: QMLE Estimation of ACARR Using Daily Upward Range of S&P500 Index
1/2/1962-8/25/2000**

$$UPR_t = I_t e_t$$

$$I_t^u = w^u + \sum_{i=1}^p a_i^u UPR_{t-i} + \sum_{j=1}^q b_j^u I_{t-j}^u + \sum_{l=1}^L g_l X_{t-1}^l,$$

$$e_t \sim iid f(.)$$

Estimation is carried out using the QMLE method hence it's equivalent to estimating an Exponential ACARR(X)(p,q) or and EACARR(X)(p,q) model. Numbers in parentheses are t-ratios (p-values) with robust standard errors for the model coefficients (Q statistics).

LLF is the log likelihood function.

	<u>ACARR(1,1)</u>	<u>ACARR(2,1)</u>	<u>ACARRX(2,1)-a</u>	<u>ACARRX(2,1)-b</u>	<u>ACARRX(2,1)-c</u>
LLF	-12035.20	-12011.86	-11955.78	-11949.64	-11950.32
constant	0.002[3.216]	0.001 [3.145]	-0.002[-0.610]	-0.003[-0.551]	-0.004[-0.973]
UPR(t-1)	0.03[8.873]	0.145[10.837]	0.203[14.030]	0.179[11.856]	0.186[12.845]
UPR(t-2)		-0.126[-9.198]	-0.117[-9.448]	-0.112[-8.879]	-0.115[-9.245]
$\lambda(t-1)$	0.968[267.993]	0.978 [341.923]	0.903[69.643]	0.871 [48.426]	0.877[52.942]
r(t-1)			-0.057[-8.431]	-0.018 [-1.959]	-0.023[-2.734]
TUE			0.058[3.423]	0.059 [3.475]	0.059[3.481]
WED				0.02 [1.271]	
SD			0.0000[0.201]	-0.003 [-1.647]	
DWNR(-1)				0.046 [4.868]	0.042 [4.803]
Q(12)	184.4[0.000]	22.346[0.034]	22.304[0.034]	20.282 [0.062]	20.503[0.053]

**Table 3: QMLE Estimation of ACARR Using Daily Downward Range of S&P500 Index
1/2/1962-8/25/2000**

$$DWNR_t = I_t e_t$$

$$I_t^d = w^d + \sum_{i=1}^p a_i^d DWNR_{t-i} + \sum_{j=1}^q b_j^d I_{t-j}^d + \sum_{l=1}^L g_l X_{t-1}^l$$

$$e_t \sim iid f(.)$$

Estimation is carried out using the QMLE method hence it's equivalent to estimating an Exponential ACARR(X)(p,q) or and EACARR(X)(p,q) model. Numbers in parentheses are t-ratios(p-values) with robust standard errors for the model coefficients (Q statistics).

LLF is the log likelihood function.

	<u>ACARR(1,1)</u>	<u>ACARR(2,1)</u>	<u>ACARRX(2,1)-a</u>	<u>ACARRX(2,1)-b</u>	<u>ACARRX(2,1)-c</u>
LLF	-11929.39	-11889.61	-11873.54	-11868.55	-11870.14
constant	0.014[5.905]	0.004[4.088]	0.017[4.373]	0.017[3.235]	0.017[4.417]
DWNR(t-1)	0.084[11.834]	0.229[16.277]	0.252[16.123]	0.233[14.770]	0.239[16.364]
DWNR(t-2)		-0.195[-13.489]	-0.189[-12.811]	-0.185[-12.594]	-0.186[-12.897]
$\lambda(t-1)$	0.897[101.02]	0.961[199.02]	0.927[87.639]	0.906[61.212]	0.911[63.893]
$r(t-1)$			0.023[4.721]	-0.009[-1.187]	
TUE				-0.008[0.503]	
WED			-0.051[-3.582]	-0.053[-3.617]	-0.052[-3.587]
SD			-0.002[-2.124]	0.001[0.904]	
UPR(-1)				0.037[4.164]	0.028[5.084]
Q(12)	192.8[0.000]	18.94[0.009]	22.227[0.035]	14.422[0.275]	14.774[0.254]

Table 4: ACARR versus CARR

In-sample Volatility Forecast Comparison Using Three Measured Volatilities as Benchmarks.

The three measures of volatility are RNG, RETSQ and ARET: respectively,
daily ranges, squared-daily-returns, and absolute daily- return.

A CARR(1,1) model is fitted for the range series and a ACARR models are fitted for the upward range and the downward range series. FV(CARR) (FV(ACARR)) is the forecasted volatility using CARR (ACARR). (FV(ACARR)) is the forecasted range using the sum of the forecasted upward range and downward range.

Proper transformations are made for adjusting the difference between a variance estimator and a standard-deviation estimator. Numbers in parentheses are t-ratios.

$$MV_t = a + b FV_t(\text{CARR}) + ut$$

$$MV_t = a + c FV_t(\text{ACARR}) + ut$$

$$MV_t = a + b FV_t(\text{CARR}) + c FV_t(\text{ACARR}) + ut$$

<u>Measured Volatility</u>	<u>Explanatory Variables</u>				
	<u>constant</u>	<u>FV(CARR)</u>	<u>FV(ACARR)</u>	<u>Adj. R-sq.</u>	<u>S.E.</u>
RNG	-0.067 [-0.366]	1.005 [96.29]		0.489	0.543
RNG	-0.006 [-4.148]		1.047 [101.02]	0.513	0.531
RNG	-0.067 [0.632]	0.021 [0.46]	1.026 [21.83]	0.513	0.531
RETSQ	-1.203 [-1.35]	0.397 [14.25]		0.02	5.725
RETSQ	-0.265 [-2.94]		0.459 [16.02]	0.026	5.709
RETSQ	-0.249 [-2.76]	-0.191 [-2.32]	0.644 [7.61]	0.026	5.708
ARET	1.142 [7.41]	0.334 [27.07]		0.07	0.642
ARET	0.113 [5.85]		0.354 [28.28]	0.076	0.639
ARET	0.115 [5.95]	-0.106 [-1.91]	0.458 [8.09]	0.076	0.639

Figure 1: Daily UPR and Daily DWNR, S&P500, 1962/1-2000/8




Figure 2: Daily UPR of S&P500 Index, 1962/1-2000/8




Figure 3: Daily DWNR of S&P500 Index, Unsigned, 1962/1-2000/8




Figure 4: Daily DWNR w/o Crash, Unsigned, 1962/1-2000/8




Figure 5: Correlograms of Daily UPR and DWNR




Figure 6: Expected and Observed Daily UPR, 1962/1-2000/8




Figure 7: Expected and Observed Daily DWNR, 1962/1-2000/8




Figure 8: Histogram of Daily et_UPR, 1962/1-2000/8




Figure 9: Histogram of daily et_DWNR, 1962/1-2000/8




Figure 10: Q-Q Plot of et_UPR




Figure 11: Q-Q plot of et-DWNR

